

L Number	Hits	Search Text	DB	Time stamp
1	2	6529956.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 15:39
-	490810	input near10 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 16:20
-	330	((input near10 device) and cpu and bus and keyboard and (security near10 device) and clock and encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:17
-	0	((input near10 device) and cpu and bus and keyboard and (security near10 device) and clock and encrypt\$3) and (encrypt\$3 near10 ("keyboard signal" or input)) and (keyboard near (bus and controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:15
-	0	((input near10 device) and cpu and bus and keyboard and (security near10 device) and clock and encrypt\$3) and (enabl\$4 near10 decrypt\$4) and (keyboard near (bus and controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:16
-	0	((input near10 device) and cpu and bus and keyboard and (security near10 device) and clock and encrypt\$3) and (keyboard near (bus and controller))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 15:16
-	84	((input near10 device) and cpu and bus and keyboard and (security near10 device) and clock and encrypt\$3) and ((one or single) near direction\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 16:10
-	3	(input near10 device) and password and ecryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 16:12
-	1		USPAT	2004/07/22 16:14
-	1		USPAT	2004/07/22 16:14
-	1		USPAT	2004/07/22 16:14
-	1		USPAT	2004/07/22 16:14
-	1		USPAT	2004/07/22 16:15
-	16236	(receiv\$3 near10 input) same keyboard	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 16:21
-	1634	((receiv\$3 near10 input) same keyboard) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/22 16:22
-	173	((((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:38
-	1		USPAT	2004/07/22 16:25
-	1		USPAT	2004/07/22 16:26
-	1		USPAT	2004/07/22 16:26
-	1		USPAT	2004/07/22 16:26

-	6999	(detect\$3 near10 (source near5 input))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:03
-	2	((detect\$3 near10 (source near5 input))) and ((uni-directional or one-directional) near10 input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:02
-	30	((detect\$3 near10 (source near5 input))) and (only near10 keyboard)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:05
-	2	((detect\$3 near10 (source near5 input))) and ((only near10 read) near5 keyboard)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:12
-	2	5537544.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:42
-	4362	check\$3 near10 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:46
-	477	combin\$3 near10 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:26
-	112	(combin\$3 near10 password) and (random near number)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 09:52
-	96	((combin\$3 near10 password) and (random near number)) and (encrypt\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:04
-	1		USPAT	2004/07/23 10:11
-	1		USPAT	2004/07/23 10:16
-	1		USPAT	2004/07/23 10:17
-	1		USPAT	2004/07/23 10:25
-	24	(concatenat\$3 or combin\$3) near10 (password same (encryption near5 key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:55
-	24	((concatenat\$3 or combin\$3) near10 (password same (encryption near5 key))) and (encrypt\$3 near10 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:30
-	24	((concatenat\$3 or combin\$3) near10 (password same (encryption near5 key))) and (((concatenat\$3 or combin\$3) near10 (password same (encryption near5 key))) and (encrypt\$3 near10 password))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:56

-	120	concatenat\$3 near10 password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:56
-	83	(concatenat\$3 near10 password) and (encrypt\$3 near10 ("encryption key" or password))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 10:57
-	1		USPAT	2004/07/23 10:59
-	1		USPAT	2004/07/23 10:59
-	105	((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and encrypt\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:11
-	102	((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and encrypt\$3) and application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:13
-	4856	encrypt\$3 near10 input	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:18
-	12	(encrypt\$3 near10 input) and (((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and encrypt\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:14
-	7	(encrypt\$3 near10 input) and keyboard and bus and (keyboard near controller) and cpu and (encryption near key) and password	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:17
-	10	(encrypt\$3 near10 input) and keyboard and bus and (keyboard near controller) and cpu and (encryption near key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:17
-	3	((encrypt\$3 near10 input) and keyboard and bus and (keyboard near controller) and cpu and (encryption near key)) not ((encrypt\$3 near10 input) and keyboard and bus and (keyboard near controller) and cpu and (encryption near key) and password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:17
-	306	(encrypt\$3 near10 input) and encryptor and decryptor	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:51
-	1		USPAT	2004/07/23 13:21
-	1		USPAT	2004/07/23 13:22
-	1		USPAT	2004/07/23 13:30
-	1		USPAT	2004/07/23 13:31
-	1		USPAT	2004/07/23 13:32
-	1		USPAT	2004/07/23 13:32
-	1		USPAT	2004/07/23 13:34
-	1		USPAT	2004/07/23 13:35
-	1		USPAT	2004/07/23 13:35
-	1		USPAT	2004/07/23 13:35
-	1		USPAT	2004/07/23 13:36
-	1		USPAT	2004/07/23 13:40
-	1		USPAT	2004/07/23 13:41
-	1		USPAT	2004/07/23 13:41
-	1		USPAT	2004/07/23 13:42
-	1		USPAT	2004/07/23 13:43

-	1		USPAT	2004/07/23 13:43
-	1		USPAT	2004/07/23 13:43
-	1		USPAT	2004/07/23 13:44
-	1		USPAT	2004/07/23 13:44
-	930	(data near encryption) same apparatus	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:35
-	101	((data near encryption) same apparatus) and keyboard and cpu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 13:52
-	17	((data near encryption) same apparatus) and keyboard and cpu) and ((receiv\$3 and encrypt\$3) near10 signals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:36
-	1		USPAT	2004/07/23 14:34
-	1		USPAT	2004/07/23 14:34
-	2947	(data near encryption) same (device or apparatus)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:35
-	385	((data near encryption) same (device or apparatus)) and ((receiv\$3 and encrypt\$3) near10 signals)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 14:36
-	1	((data near encryption) same (device or apparatus)) and ((receiv\$3 and encrypt\$3) near10 signals)) and keyboard and (keyboard near controller) and cpu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/23 15:45
-	1		USPAT	2004/07/23 14:37
-	1		USPAT	2004/07/23 14:38
-	1		USPAT	2004/07/23 14:39
-	1		USPAT	2004/07/23 14:40
-	1		USPAT	2004/07/23 15:27
-	1		USPAT	2004/07/23 15:28
-	1		USPAT	2004/07/23 15:29
-	1		USPAT	2004/07/23 15:29
-	1		USPAT	2004/07/23 15:29
-	1		USPAT	2004/07/23 15:33
-	1		USPAT	2004/07/23 15:33
-	1		USPAT	2004/07/23 15:33
-	1		USPAT	2004/07/23 15:34
-	1		USPAT	2004/07/23 15:35
-	1		USPAT	2004/07/23 15:35
-	1		USPAT	2004/07/23 15:35
-	1		USPAT	2004/07/23 15:35
-	1		USPAT	2004/07/23 15:36
-	35	encrypt\$3 near10 (keyboard near input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 10:40
-	189	((combin\$4 or concatenat\$3) same (password near10 (salt or code or "random number")))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:01

-	59	(((combin\$4 or concatenat\$3) same (password near10 (salt or code or "random number")))) and (encrypted near10 password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 10:46
-	1		USPAT	2004/07/25 10:49
-	81	((combin\$4 or concatenat\$3) same (password near10 (user near id)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:02
-	78	(((combin\$4 or concatenat\$3) same (password near10 (user near id)))) not (((combin\$4 or concatenat\$3) same (password near10 (salt or code or "random number")))) and (encrypted near10 password))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:08
-	0	(((combin\$4 or concatenat\$3) same (password near10 (user near id)))) not (((combin\$4 or concatenat\$3) same (password near10 (salt or code or "random number")))) and (encrypted near10 password)) and (encrypted near password) and asymmetric and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:10
-	0	(encrypted near password) and asymmetric and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:09
-	0	(((combin\$4 or concatenat\$3) same (password near10 (user near id)))) not (((combin\$4 or concatenat\$3) same (password near10 (salt or code or "random number")))) and (encrypted near10 password)) and (encrypted near password) and asymmetric and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 11:10
-	20	(encrypted near password) and asymmetric and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:18
-	1392	asymmetric near10 encryption	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:44
-	530	(asymmetric near10 encryption) and "public key encryption"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:21
-	100	((asymmetric near10 encryption) and "public key encryption") and "public key algorithm"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:22
-	18	(((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and asymmetric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:41
-	18	(((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and ((public and private) near10 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:41
-	17	(((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and ((public and private) near10 key)) not (((receiv\$3 near10 input) same keyboard) and password) and (verif\$4 near10 password) and asymmetric	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:41

-	76	(asymmetric near10 encryption) and (encrypted near password)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 12:46
-	57	(asymmetric near10 encryption) and "encrypted password"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:20
-	2	5677952.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:25
-	89	(encrypt\$4 near10 password) and ((asymmetric near10 encryption) and "public key encryption")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 13:27
-	46	((encrypt\$4 near10 password) and ((asymmetric near10 encryption) and "public key encryption")) and (string)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/25 15:39
-	1		USPAT	2004/07/25 13:33
-	1		USPAT	2004/07/25 13:33
-	1		USPAT	2004/07/25 13:34
-	1		USPAT	2004/07/25 13:37
-	1		USPAT	2004/07/25 13:37